

a3t.  
cont. vital information retained in the medical care provider servers through the third network.

In the Claims:

Kindly amend claims 1 and 8-9 as follows:

1.(Amended) A medical information system comprising:

a patient server that can receive vital information, retain the received vital information, and transmit the retained vital information; and

a medical care provider server connected to the patient server through a first network, the medical care provider server being capable of retaining the vital information received from the patient server through the first network and allowing the retained vital information to be browsed.

8.(Amended) A medical information system comprising:

a plurality of patient servers that can receive vital information, retain the received vital information, and transmit the retained vital information;

a medical care provider server connected to the patient servers through a first network, the medical care provider server being capable of retaining the vital information received from the patient servers through the first network and allowing the retained vital information to be browsed;

a plurality of patient terminals respectively connected to the patient server through a second network, the patient terminals being capable of transmitting the vital information to the patient server through the second network; and

a doctor terminal connected to the medical care provider server through a third network, the doctor terminal being capable of browsing the vital information retained in the medical care provider server through the third network.

9.(Amended) A medical information system comprising:

a patient server that can receive vital information, retain the received vital information, and transmit the retained vital information;

45 cont.  
a plurality of medical care provider servers respectively connected to the patient server through a first network, the medical care provider servers being capable of retaining the vital information received from the patient server through the first network and allowing the retained vital information to be browsed;

a patient terminal connected to the patient server through a second network, the patient terminal being capable of transmitting the vital information to the patient server through the second network; and

a plurality of doctor terminals respectively connected to the medical care provider servers through a third network, the doctor terminals being capable of browsing the vital information retained in the medical care provider servers through the third network.

---